






Stairway 1 m



General Information

EN 12811-1:2003


Work safe	
Check the distance and the height	
Anchor the stairway	
Inclination: min 30° - max 45°	
Point load: max. 150 kg	
Distributed load: ≤100 kg/m2	
Check the stairway	
Remove dirt and snow	

Product Overview

Stairway 1 m / 3 steps

Code: 2079709

Weight: 45 kg




mm

Stairway 1 m / 6 steps

Code: 2079710

Weight: 73 kg




mm

Stairway 1 m / 9 steps

Code: 2079711

Weight: 99 kg




mm

Stairway 1 m / 12 steps

Code: 2079706

Weight: 132 kg




mm

Stairway 1 m / 15 steps

Code: 2079707

Weight: 175 kg




mm

Stairway 1 m / 18 steps








Code: 2079708

Weight: 208 kg



mm

Assembling




Check every 7 days!




Stair Connection


1



2



3




4




- Max. 21 steps (1 support needed)
Height: 3,00 m - 4,70 m
- Max. 2 self-supported stairways connected

Example: Stairway 21 steps (18+3)



Inclination Diagram



- >21 steps only on an slope subsoil
- >2 stairways connected only on an slope subsoil

Packaging

Stairway 1 m / 3 steps

1650

1270

10 pcs

mm

Stairway 1 m / 6 steps

2450

2080

10 pcs

mm

Stairway 1 m / 9 steps

3300

2890

10 pcs

mm

Stairway 1 m / 12 steps

4100

3700

10 pcs

mm

Stairway 1 m / 15 steps

4650

4510

5 pcs

mm

Stairway 1 m / 18 steps

5450


5320


5 pcs

mm

Components

Example for 15-step Stairway



No.	Art. No.	Description	Picture
1	2079713	Step 1 m Standard	
2	2079714	Step 1 m Big	
3	2079707A	Side Beam 15 top left	
	2079707B	Side Beam 15 top right	
	2079707C	Side Beam 15 bottom left	
	2079707D	Side Beam 15 bottom right	

No.	Art. No.	Description	Picture
4	2079707G	Guardrail 15	
5	2079716	Crane Hook	
6	2079719	Guardrail Holder	
7	2079718	Lock	
8	2079717	Slabfix	
9	2079712	Support 1 m	

Tammet Oy
Metallikutomonkatu 1
10600 Tammisaari

www.tammet.fi
info@tammet.fi
+358 201 450 201

